UNITED STATES ENVIRONMENTAL PROTECTION AGENCY REGION V

Date:

March 5, 1991

Subject:

Biological Technical Assistance Group Recommendations Concerning

American Chemical Services Site From March 5, 1991 Meeting

From:

Douglas Beltman, Ecologist, BTAG Co-coordinator

Technical Support Unit

To:

Robert Swale, RPM

IL/IN Unit #2

The Region V Biological Technical Assistance Group (BTAG) held a meeting on March 5, 1991 to discuss the January, 1991 Draft Ecological Risk Assessment prepared for the American Chemical Services Superfund site. A meeting attendance list is attached.

BTAG discussed the quality and usefulness of the risk assessment. In general, we found this to be a poor risk assessment that does not adequately assess potential ecological risks associated with the site. Some specific criticisms of the risk assessment are:

- 1) Potential ecological receptors are not adequately defined. Little site-specific information on plant and animal species on and near the site is provided. The assertion that fish are not a concern because of limited aquatic habitat was challenged by U.S. Fish and Wildlife personnel who have visited the site and the adjacent wetlands. The statement that habitat for threatened and endangered species is no longer available in the vicinity due to landscape modifications is contradicted by the presence of the relatively extensive wetlands surrounding the site.
- 2) The potential for bioaccumulation of contaminants is largely ignored. Only plant uptake of organics appears to have been considered, and this pathway was summarily dismissed with sweeping, unsubstantiated generalizations. PCB and metal uptake was not addressed, nor was direct contaminant uptake by fish, macroinvertebrates, or mammals.
- 3) Exposure to terrestrial plant and animal receptors is not addressed.
- 4) Comparison of surface water contaminant levels with only acute LC50 values for a few species of fish from one literature source is not adequate. A comparison with chronic Lowest Observed Effect Levels and No Observed Effect Levels for a variety of fish and invertebrate species from numerous sources should be conducted.
- 5) Using the Equilibrium Partitioning method to derive site-specific sediment criteria

omits metals and polar organic compounds from consideration. Also, for compounds without AWQC, derived pore water concentrations should be compared to chronic toxicity levels for a variety of aquatic organisms.

6) Possible additive or synergistic ecological effects of contaminants are not considered at all in the general approach used in this risk assessment. Although estimating these effects involves large degrees of uncertainty, some qualitative assessment of these effects should be included.

Thank you for the opportunity to review this ecological risk assessment. We hope our comments will help ensure a more adequate risk assessment in the future. If you have any questions about these comments, please call me at 6-5902.

cc: BTAG members

12/2/& -2ATA

413 1108-9 9115-9 5889-906-806 9289-906-806 ELA- LERT winth Intotace 20 3-102O 332- 4265 5 mt 51 1860-9 +dasn TAT/TO3/ LOT 23W 7727.522.806 9826-8 HOBSO eh10-9 HO IST 8281-9 Haasn L+53/ NOL53M 4168-9 USE 14 (065-9

4135h MYOI

3-5-7-88

Lee D. Gorsky

Wayne Fortz (felephone)

Stove Ostrodue

David Charters
806 Swale

Mark O. Sprenger

C' SPAKES

auimny wa

MARK AUSTON

Nam Gowdon

Wigher Good

Eileen Helmeri

KONALD ABEAUT Doylas Beltman